

Fig. 1A




Fig. 1B




Fig. 2A






Fig. 2B



**Fig. 3A**

**Fig. 3B**



**Fig. 3C**




Fig. 4






Fig. 5




Fig. 6





Fig. 7



**Fig. 8**




Fig. 9







Fig. 10




**Fig. 11A**



**Fig. 11B**



**Fig. 12A**



**Fig. 12B**







Fig. 13



**Fig. 14**




Fig. 15A




Fig. 15B





Fig. 16

The figure displays an NMR spectrum with three distinct peaks. The x-axis represents the chemical shift in ppm, with major tick marks at 4.7, 8.1, and 17.1. Peak (1) is the tallest and sharpest, located at 4.7 ppm. Peak (2) is shorter and broader, located at 8.1 ppm. Peak (3) is the shortest and broadest, located at 17.1 ppm. The baseline is relatively flat with minor noise.

**Fig. 17**



*Fig. 18*




Fig. 19





Fig. 20



09994-03401  
T0430-436660



**Fig. 21**




Fig. 22

The infrared spectrum displays four prominent peaks labeled (1) through (4). The x-axis represents wavenumber in cm⁻¹, with major tick marks at 15.5, 18.7, 35.0, and 47.2. Peak (1) is the tallest, occurring at approximately 15.5 cm⁻¹. Peak (2) is located at approximately 18.7 cm⁻¹. Peak (3) is at approximately 35.0 cm⁻¹. Peak (4) is the shortest, occurring at approximately 47.2 cm⁻¹.

**Fig. 23**





Fig. 24

**Fig. 25**



**Fig. 26**

FIG. 27




FIG. 28







FIG. 29







FIG. 31






FIG. 33




FIG. 34




FIG. 35




FIG. 36






FIG. 37




FIG. 38




FIG. 39

